

Attention Business Editors:
/C O R R E C T I O N - Street Resources Inc./

In c2038 sent at 21:34e January 11, 2005 an error occurred in the URL address located in the third paragraph. The period attached at the end should have been omitted. The correct URL now reads:
<http://files.newswire.ca/389/mapLocation.doc>

Full corrected copy follows:

Street Resources Announces Receipt of EXMIN Drill Results;
One hole intersects 60 feet of 0.18 oz/t and 20 feet of 0.40 oz/t gold

/NOT FOR DISSEMINATION IN THE UNITED STATES OF AMERICA/

TORONTO, Jan. 11 /CNW/ - Street Resources Inc. ("Street Resources") (NEX:SRS.H) today announced that it has received the drill results data from EXMIN, Inc. ("Exmin") regarding Exmin's Reyna de Oro property deliverable to it pursuant to the previously announced option agreement between Street Resources and EXMIN, Inc. dated August 16, 2004. Under the option agreement, Street Resources now has 60 days to determine whether it wishes to exercise its option under the option agreement to effect a transaction with Exmin resulting in the acquisition of all of Exmin's interest in its properties.

Exmin has advised Street Resources that the 11hole reverse circulation drill program completed in December 2004 at its Reyna de Oro project, located in Chihuahua state, Mexico, encountered significant gold mineralization on the property. Eight of the holes intersected significant widths and grades - hole RDO-04-R6 intersected 1.5 metres (5 feet) of 20.1 grams per tonne of gold (g/t) (0.59 ounces per ton (oz/t)), within a 6.1 metre (20 foot) intersection of 13.56 g/t (0.40 oz/t). This hole had another intercept of 18.3 metres (60 feet) of 6.14 g/t (0.18 oz/t). Hole RDO-04-R3 intersected 10.7 metres (35 feet) of 7.17 g/t (0.21 oz/t). The holes intersected substantial widths of mineralization, and with these limited number of holes, the data indicates an extensive zone of mineralization. The drilling has confirmed a zone of mineralization along 250 metres of strike, approximately 100 metres down dip, with a width of about 20 to 30 metres. The zone remains open along strike in both directions and down dip. The attached table should be referred to for a detailed summary of the drill results.

The Reyna de Oro property consists of approximately 14,275 hectares in the prospective Sierra Madre gold belt of Chihuahua state (as illustrated on the maps accompanying this press release available by clicking <http://files.newswire.ca/389/mapLocation.doc>). Craig Gibson, Exmin's Vice President of Exploration, reported, "This recent drill program confirmed previous surface and drill programs carried out on the property. Previous work had indicated the potential for a large tonnage deposit, but the recent drilling indicates the potential for higher grade zones as well as a large tonnage target."

This press release has been reviewed by Geoffrey S. Carter, P. Eng., Qualified Person, who has been on site and is currently preparing a National Instrument 43-101 technical report on the Reyna de Oro property. The handling and preparation of the samples and assaying procedures all meet with industry standards.

Exmin is a mining exploration company that is currently focused on the exploration and development of large properties in the Sierra Madre gold belt that has a well known history of precious metal production over the last several hundred years. High profile projects located in this gold belt include Gammon Lakes' Ocampo project, Glamis Gold's El Sauzal mine, which began producing in the fourth quarter of 2004, as well as the Mulatos, Dolores and Monterde projects.

The TSX Venture Exchange has not reviewed and does not accept responsibility for the adequacy or accuracy of this release.

<<

DRILL RESULTS DATA

Drill Hole	Interval (ft)	Intercept (metres)	Au (grams per tonne)
RDO-04-R2	35-125	27.4	0.45
RDO-04-R3	0-85	25.9	4.02
includes	0-65	19.8	4.93
includes	0-35	10.7	7.17
	140-255	35.1	0.91
RDO-04-R4	10-75	19.8	1.32
RDO-04-R5	60-165	32.0	2.17
includes	80-145	19.8	3.09
includes	105-140	10.7	4.87
RDO-04-R6	120-180	18.3	6.14
Includes	125-130	1.5	11.90
	150-155	1.5	8.45
Includes	155-160	1.5	12.15
Includes	160-165	1.5	20.10
Includes	165-170	1.5	13.55
Includes in total	150-170	6.1	13.56
RDO-04-R7	70-130	18.3	1.37
includes	120-130	3.0	3.38
RDO-04-R8	100-260	48.8	1.61
includes	100-190	27.2	2.08
RDO-04-R9	0-25	7.6	2.35
	185-265	24.4	0.93
includes	185-230	13.7	1.21
RDO-04-R10	70-180	33.5	2.03
Includes	80-140	18.3	1.59
	155-180	7.6	4.80
Includes	160-165	1.5	14.45

>>

%SEDAR: 00018097E

/For further information: contact Jeffrey Dawson, the Chief Executive Officer of Street Resources, at 1-877-932-8858 or Chuck Lilly, the Chief Financial Officer of Street Resources, at (705) 522-2400/ (SRS.H.)

CO: Street Resources Inc.

